

# THE FUTURE OF CHARGING ON YOUR WALL



**CUSTOMIZABLE**



**EASY**



**SMART**



**RELIABLE**



# CUSTOMIZABLE

- › Different color and front-plate options
- › With cable or Type 2 socket
- › 3 power options going up to 22kW
- › 4G LTE modules and accessories (optional)



# DETAILED SPECIFICATIONS



## CONNECTION POINT

- A** Tethered cable with Type 2 outlet (IEC 62196-2)
- B** Type 2 socket (IEC 62196-2)



## CERTIFICATIONS

CE & UKCA compliant

Codes and standards:

2014/53/EU

2011/65/EU

IEC/EN 61851-1, 61851-21



## WARRANTY

36 months



## DEVICE CONNECTIVITY

WiFi 2.4 GHz b/g/n connection	Yes
Bluetooth low energy	Yes
Local management via APP	Yes
NFC reader	Yes
OCPP 1.6 (Q1, 2022)	Yes
Ethernet (RJ45)	Yes
4G/LTE (CAT1), 3G, 2G (optional)	Yes



## PROTECTION

Output voltage and current monitoring	Yes
Temperature monitoring	Yes
Input voltage monitoring	Yes
Residual current device (RCD)	Yes
Ground fault detection	Yes
Degree of protection	IP55
Impact resistant	IK10
Fire class	UL94



## TETHERED CABLE

Flame retardant rating	UL-94V-0
Operating temperature	-30°C - +50°C
Plug and play count	10000
Cable length	5m
IP rating	IP55
Socket	Type 2



# GENERAL SPECIFICATIONS

## DIMENSIONS



Width  
170mm



Height  
341mm



Depth  
94mm

## FRONT PLATE FINISH



## COLOR OPTIONS



Winter  
White



Slate  
Grey



Oak  
Wood  
(Q2, 2022)



Burgundy



Granite  
Brown

## OUTPUT OPTIONS

A



Type 2 tethered  
cable

B



Type 2 socket

## SMART CHARGING



Ethernet port



WiFi



GSM (optional)



Bluetooth



NFC



OCPP 1.6



App



# GENERAL SPECIFICATIONS

## DIMENSIONS



Width  
170mm



Height  
341mm



Depth  
97mm

## FRONT PLATE FINISH



## COLOR OPTIONS



Winter  
White



Slate  
Grey



Oak  
Wood  
(Q2, 2022)



Burgundy



Granite  
Brown

## OUTPUT OPTIONS

A



Type 2 tethered  
cable

B



Type 2 socket

## SMART CHARGING



Ethernet port



WiFi



GSM (optional)



Bluetooth



NFC



OCPP 1.6



App